

Project:	Idylea Phase 1B
Title:	Vibration Monitoring Data
Period:	November 25 to December 6, 2024
Client / Blasting Contractor	M-Roc Ltd.



Type	Serial No.	Date	Time	Tran Peak (mm/s)	Tran Freq. Hz.	Vert Peak (mm/s)	Vert Freq. Hz.	Long Peak (mm/s)	Long Freq. Hz.	Description
H	BE15528	Nov 25 /24	5:40:50	3.175	36.57	10.03	46.55	7.239	51.2	1139 Cope Dr
H	BE15534	Nov 25 /24	5:40:51	1.524	39.38	2.159	42.67	1.905	36.57	336 Liard St
H	BE16462	Nov 25 /24	5:40:51	2.032	42.67	3.683	42.67	5.842	34.13	324 Liard St
H	BE16463	Nov 25 /24	5:40:51	1.778	34.13	2.159	36.57	2.794	28.44	320 Liard St.
H	BE17875	Nov 25 /24	5:40:51	5.588	39.38	2.413	42.67	3.175	51.2	330 Liard St
H	BE15700	Nov 25 /24	5:40:52	3.683	28.44	6.35	39.38	3.937	26.95	1103 Cope Dr
H	BE15729	Nov 25 /24	5:40:54	5.334	32	3.556	>100	3.429	25.6	1175 Cope Dr
W	BE15528	Nov 25 /24	9:30:44	3.175	36.57	10.03	46.55	7.239	51.2	1139 Cope Dr
W	BE15700	Nov 25 /24	9:30:44	2.413	25.6	6.35	39.38	2.54	34.13	1103 Cope Dr
W	BE16462	Nov 25 /24	9:30:44	2.032	42.67	3.683	42.67	5.842	34.13	324 Liard St
W	BE17875	Nov 25 /24	9:30:44	5.588	39.38	2.413	42.67	3.175	51.2	330 Liard St
H	BE15528	Nov 25 /24	9:31:32	5.08	64	10.92	46.55	5.969	46.55	1139 Cope Dr
H	BE16462	Nov 25 /24	9:31:32	1.524	39.38	3.175	46.55	5.588	36.57	324 Liard St
H	BE15700	Nov 25 /24	9:31:33	4.445	32	8.128	39.38	2.667	25.6	1103 Cope Dr
H	BE17875	Nov 25 /24	9:31:34	4.572	39.38	1.905	39.38	2.921	42.67	330 Liard St
W	BE15729	Nov 25 /24	11:54:28	5.334	32	1.651	39.38	3.175	23.27	1175 Cope Dr
W	BE15528	Nov 25 /24	11:54:29	5.08	64	10.92	46.55	5.969	46.55	1139 Cope Dr
W	BE15700	Nov 25 /24	11:54:29	4.445	32	8.128	39.38	2.667	25.6	1103 Cope Dr
W	BE16462	Nov 25 /24	11:54:29	1.524	39.38	3.175	46.55	5.588	36.57	324 Liard St
H	BE15528	Nov 25 /24	11:55:18	5.207	36.57	7.239	46.55	5.969	39.38	1139 Cope Dr
H	BE16462	Nov 25 /24	11:55:18	1.905	42.67	3.048	46.55	4.699	36.57	324 Liard St
H	BE15700	Nov 25 /24	11:55:19	4.064	34.13	4.953	39.38	2.159	34.13	1103 Cope Dr
H	BE15729	Nov 25 /24	11:55:20	3.556	19.69	2.032	42.67	2.794	25.6	1175 Cope Dr
W	BE15528	Nov 25 /24	14:30:07	5.207	36.57	7.239	46.55	5.969	39.38	1139 Cope Dr
W	BE15700	Nov 25 /24	14:30:08	4.064	34.13	4.953	39.38	2.159	34.13	1103 Cope Dr
H	BE15700	Nov 25 /24	14:30:59	5.08	34.13	6.35	39.38	2.667	32	1103 Cope Dr
H	BE15528	Nov 25 /24	14:31:01	5.588	26.95	12.45	46.55	6.223	42.67	1139 Cope Dr
W	BE15700	Nov 25 /24	15:32:28	5.08	34.13	6.35	39.38	2.667	32	1103 Cope Dr
W	BE15528	Nov 25 /24	15:32:29	5.588	26.95	12.45	46.55	6.223	42.67	1139 Cope Dr
H	BE15528	Nov 25 /24	15:33:20	1.143	>100	1.27	>100	1.27	>100	1139 Cope Dr
H	BE15700	Nov 25 /24	15:33:24	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15528	Nov 25 /24	19:25:38	1.27	>100	1.27	>100	1.27	>100	1139 Cope Dr
H	BE15700	Nov 25 /24	19:25:39	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE16462	Nov 25 /24	19:25:49	0.254	>100	0.254	>100	0.127	>100	324 Liard St
H	BE16463	Nov 25 /24	19:25:49	0.254	>100	0.381	>100	0.254	>100	320 Liard St.
H	BE17875	Nov 25 /24	19:25:49	0.254	>100	0.254	>100	0.254	>100	330 Liard St

Project:	Idylea Phase 1B
Title:	Vibration Monitoring Data
Period:	November 25 to December 6, 2024
Client / Blasting Contractor	M-Roc Ltd.



Type	Serial No.	Date	Time	Tran Peak (mm/s)	Tran Freq. Hz.	Vert Peak (mm/s)	Vert Freq. Hz.	Long Peak (mm/s)	Long Freq. Hz.	Description
H	BE15729	Nov 25 /24	19:25:50	1.905	>100	1.651	>100	1.778	>100	1175 Cope Dr
H	BE15534	Nov 25 /24	19:25:51	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE15528	Nov 26 /24	5:40:46	7.239	64	16	36.57	8.255	25.6	1139 Cope Dr
H	BE15534	Nov 26 /24	5:40:46	1.778	39.38	2.54	46.55	2.286	34.13	336 Liard St
H	BE16462	Nov 26 /24	5:40:46	1.905	42.67	4.445	46.55	5.969	34.13	324 Liard St
H	BE16463	Nov 26 /24	5:40:47	2.159	30.12	2.286	42.67	2.54	32	320 Liard St.
H	BE17875	Nov 26 /24	5:40:47	3.429	36.57	2.794	39.38	3.81	42.67	330 Liard St
H	BE15700	Nov 26 /24	5:40:48	6.35	32	8.382	36.57	3.175	46.55	1103 Cope Dr
H	BE15729	Nov 26 /24	5:40:48	6.096	19.69	2.921	39.38	4.953	36.57	1175 Cope Dr
W	BE15528	Nov 26 /24	11:46:24	7.239	64	16	36.57	8.255	25.6	1139 Cope Dr
W	BE16462	Nov 26 /24	11:46:24	1.905	42.67	4.445	46.55	5.969	34.13	324 Liard St
W	BE15700	Nov 26 /24	11:46:25	6.35	32	8.382	36.57	3.175	46.55	1103 Cope Dr
W	BE15729	Nov 26 /24	11:46:25	6.096	19.69	2.921	39.38	4.953	36.57	1175 Cope Dr
H	BE16462	Nov 26 /24	11:47:14	2.54	39.38	3.683	42.67	5.588	39.38	324 Liard St
H	BE15528	Nov 26 /24	11:47:16	7.493	39.38	19.56	36.57	12.32	46.55	1139 Cope Dr
H	BE15700	Nov 26 /24	11:47:16	6.35	32	9.906	39.38	3.937	46.55	1103 Cope Dr
H	BE15729	Nov 26 /24	11:47:16	3.937	22.26	2.286	51.2	4.191	51.2	1175 Cope Dr
W	BE15700	Nov 26 /24	13:27:40	6.35	32	9.906	39.38	3.937	46.55	1103 Cope Dr
W	BE16462	Nov 26 /24	13:27:40	2.54	39.38	3.683	42.67	5.588	39.38	324 Liard St
W	BE15528	Nov 26 /24	13:27:41	7.493	39.38	19.56	36.57	12.32	46.55	1139 Cope Dr
H	BE16462	Nov 26 /24	13:28:24	1.778	46.55	3.302	46.55	4.572	39.38	324 Liard St
H	BE15528	Nov 26 /24	13:28:25	6.35	64	13.08	39.38	9.525	42.67	1139 Cope Dr
H	BE15700	Nov 26 /24	13:28:28	4.699	36.57	8.382	42.67	4.064	42.67	1103 Cope Dr
W	BE15528	Nov 26 /24	14:42:28	6.35	64	13.08	39.38	9.525	42.67	1139 Cope Dr
W	BE15700	Nov 26 /24	14:42:28	4.699	36.57	8.382	42.67	4.064	42.67	1103 Cope Dr
H	BE15528	Nov 26 /24	14:43:12	1.143	>100	1.016	>100	1.143	>100	1139 Cope Dr
H	BE15700	Nov 26 /24	14:43:15	0.254	>100	0.254	>100	0.127	>100	1103 Cope Dr
H	BE15528	Nov 26 /24	19:25:45	1.143	>100	1.143	>100	1.27	>100	1139 Cope Dr
H	BE15534	Nov 26 /24	19:25:45	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE17875	Nov 26 /24	19:25:45	0.254	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15700	Nov 26 /24	19:25:46	0.254	>100	0.254	>100	0.127	>100	1103 Cope Dr
H	BE15729	Nov 26 /24	19:25:46	1.27	>100	1.27	>100	1.27	>100	1175 Cope Dr
H	BE16462	Nov 26 /24	19:25:46	0.254	>100	0.254	>100	0.127	>100	324 Liard St
H	BE16463	Nov 26 /24	19:25:46	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE15528	Nov 27 /24	5:40:41	5.588	39.38	9.398	39.38	5.842	36.57	1139 Cope Dr
H	BE15534	Nov 27 /24	5:40:41	1.778	36.57	2.032	42.67	2.159	34.13	336 Liard St

Project:	Idylea Phase 1B
Title:	Vibration Monitoring Data
Period:	November 25 to December 6, 2024
Client / Blasting Contractor	M-Roc Ltd.



Type	Serial No.	Date	Time	Tran Peak (mm/s)	Tran Freq. Hz.	Vert Peak (mm/s)	Vert Freq. Hz.	Long Peak (mm/s)	Long Freq. Hz.	Description
H	BE16462	Nov 27 /24	5:40:41	1.905	42.67	3.683	39.38	5.461	39.38	324 Liard St
H	BE16463	Nov 27 /24	5:40:41	1.524	32	2.286	39.38	2.159	36.57	320 Liard St.
H	BE17875	Nov 27 /24	5:40:43	3.937	36.57	1.905	42.67	2.667	46.55	330 Liard St
H	BE15729	Nov 27 /24	5:40:52	2.921	56.89	2.413	46.55	4.191	36.57	1175 Cope Dr
H	BE15700	Nov 27 /24	5:40:53	3.556	46.55	5.588	42.67	2.54	51.2	1103 Cope Dr
W	BE15528	Nov 27 /24	9:02:55	5.588	39.38	9.398	39.38	5.842	36.57	1139 Cope Dr
H	BE15528	Nov 27 /24	9:03:43	5.969	51.2	9.017	36.57	7.239	56.89	1139 Cope Dr
W	BE15528	Nov 27 /24	11:08:08	5.969	51.2	9.017	36.57	7.239	56.89	1139 Cope Dr
H	BE15528	Nov 27 /24	11:08:51	6.985	46.55	8.001	42.67	8.509	42.67	1139 Cope Dr
W	BE15528	Nov 27 /24	12:19:20	6.985	46.55	8.001	42.67	8.509	42.67	1139 Cope Dr
W	BE15700	Nov 27 /24	12:19:20	3.556	46.55	5.588	42.67	2.54	42.67	1103 Cope Dr
H	BE15528	Nov 27 /24	12:20:08	7.747	51.2	15.24	39.38	8.763	32	1139 Cope Dr
H	BE15700	Nov 27 /24	12:20:10	3.175	36.57	5.842	39.38	2.54	36.57	1103 Cope Dr
W	BE16462	Nov 27 /24	14:29:32	1.905	42.67	3.683	39.38	5.461	39.38	324 Liard St
W	BE15528	Nov 27 /24	14:29:34	7.747	51.2	15.24	39.38	8.763	32	1139 Cope Dr
W	BE15700	Nov 27 /24	14:29:34	3.175	36.57	5.842	39.38	2.54	36.57	1103 Cope Dr
H	BE15528	Nov 27 /24	14:30:25	1.27	>100	1.27	>100	1.27	>100	1139 Cope Dr
H	BE16462	Nov 27 /24	14:30:26	0.254	>100	0.254	>100	0.127	>100	324 Liard St
H	BE15700	Nov 27 /24	14:30:29	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15528	Nov 27 /24	19:25:46	1.27	>100	1.27	>100	1.524	>100	1139 Cope Dr
H	BE15534	Nov 27 /24	19:25:46	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE15700	Nov 27 /24	19:25:47	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15729	Nov 27 /24	19:25:48	2.159	>100	2.286	>100	2.159	>100	1175 Cope Dr
H	BE16462	Nov 27 /24	19:25:48	0.254	>100	0.254	>100	0.127	>100	324 Liard St
H	BE16463	Nov 27 /24	19:25:48	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE17875	Nov 27 /24	19:25:49	0.254	>100	0.254	>100	0.254	>100	330 Liard St
H	BE17875	Nov 28 /24	5:40:45	5.207	39.38	3.048	46.55	3.048	51.2	330 Liard St
H	BE15528	Nov 28 /24	5:40:46	6.223	56.89	11.05	42.67	10.03	46.55	1139 Cope Dr
H	BE15534	Nov 28 /24	5:40:46	2.032	36.57	3.175	46.55	2.032	39.38	336 Liard St
H	BE16462	Nov 28 /24	5:40:46	2.413	46.55	3.937	42.67	5.207	39.38	324 Liard St
H	BE15729	Nov 28 /24	5:40:47	4.445	56.89	2.667	42.67	3.81	36.57	1175 Cope Dr
H	BE15700	Nov 28 /24	5:40:48	3.429	42.67	8.001	42.67	1.778	42.67	1103 Cope Dr
H	BE16463	Nov 28 /24	5:46:29	2.54	34.13	2.921	39.38	2.032	34.13	320 Liard St.
W	BE15528	Nov 28 /24	8:50:39	6.223	56.89	11.05	42.67	10.03	46.55	1139 Cope Dr
H	BE15528	Nov 28 /24	8:51:31	5.715	51.2	12.32	42.67	6.985	42.67	1139 Cope Dr
W	BE16462	Nov 28 /24	11:16:46	2.032	39.38	3.048	42.67	5.207	39.38	324 Liard St

Project:	Idylea Phase 1B
Title:	Vibration Monitoring Data
Period:	November 25 to December 6, 2024
Client / Blasting Contractor	M-Roc Ltd.



Type	Serial No.	Date	Time	Tran Peak (mm/s)	Tran Freq. Hz.	Vert Peak (mm/s)	Vert Freq. Hz.	Long Peak (mm/s)	Long Freq. Hz.	Description
W	BE15700	Nov 28 /24	11:16:47	3.429	42.67	8.001	42.67	1.651	56.89	1103 Cope Dr
W	BE15528	Nov 28 /24	11:16:48	5.715	51.2	12.32	42.67	6.985	42.67	1139 Cope Dr
H	BE15528	Nov 28 /24	11:17:33	5.334	46.55	11.3	42.67	8.509	42.67	1139 Cope Dr
H	BE16462	Nov 28 /24	11:17:40	1.905	46.55	3.81	36.57	5.334	39.38	324 Liard St
H	BE15700	Nov 28 /24	11:17:43	3.302	39.38	4.953	42.67	2.286	30.12	1103 Cope Dr
W	BE16462	Nov 28 /24	11:28:01	1.905	46.55	3.81	36.57	5.334	39.38	324 Liard St
W	BE15528	Nov 28 /24	11:28:03	5.334	46.55	11.3	42.67	8.509	42.67	1139 Cope Dr
H	BE15528	Nov 28 /24	11:28:51	6.477	56.89	13.08	42.67	8.636	42.67	1139 Cope Dr
H	BE16462	Nov 28 /24	11:28:53	2.667	36.57	3.683	39.38	5.08	39.38	324 Liard St
W	BE15528	Nov 28 /24	13:44:03	6.477	56.89	13.08	42.67	8.636	42.67	1139 Cope Dr
W	BE15700	Nov 28 /24	13:44:04	3.302	39.38	4.953	42.67	1.778	39.38	1103 Cope Dr
W	BE16462	Nov 28 /24	13:44:05	2.667	36.57	3.683	39.38	5.08	39.38	324 Liard St
H	BE15528	Nov 28 /24	13:44:50	4.953	56.89	12.45	46.55	7.112	39.38	1139 Cope Dr
H	BE16462	Nov 28 /24	13:44:50	2.667	42.67	2.921	42.67	5.334	39.38	324 Liard St
H	BE15700	Nov 28 /24	13:44:51	2.413	39.38	5.334	42.67	1.651	39.38	1103 Cope Dr
W	BE17875	Nov 28 /24	14:48:29	5.207	39.38	2.54	51.2	2.794	51.2	330 Liard St
W	BE15528	Nov 28 /24	14:48:32	4.953	56.89	12.45	46.55	7.112	39.38	1139 Cope Dr
W	BE15700	Nov 28 /24	14:48:32	2.413	39.38	5.334	42.67	1.651	39.38	1103 Cope Dr
W	BE16462	Nov 28 /24	14:48:32	2.667	42.67	2.921	42.67	5.334	39.38	324 Liard St
H	BE15528	Nov 28 /24	14:49:19	1.27	>100	1.143	>100	1.27	>100	1139 Cope Dr
H	BE16462	Nov 28 /24	14:49:22	0.254	>100	0.254	>100	0.127	***	324 Liard St
H	BE17875	Nov 28 /24	14:49:26	0.254	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15700	Nov 28 /24	14:49:28	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE16463	Nov 28 /24	19:25:42	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE15528	Nov 28 /24	19:25:43	1.397	>100	1.397	>100	1.397	>100	1139 Cope Dr
H	BE15534	Nov 28 /24	19:25:43	0.254	***	0.254	>100	0.254	>100	336 Liard St
H	BE15700	Nov 28 /24	19:25:43	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15729	Nov 28 /24	19:25:43	3.175	>100	3.175	>100	3.302	>100	1175 Cope Dr
H	BE16462	Nov 28 /24	19:25:43	0.254	>100	0.254	>100	0.127	***	324 Liard St
H	BE17875	Nov 28 /24	19:25:44	0.254	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15534	Nov 29 /24	5:40:47	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE15528	Nov 29 /24	5:40:48	1.397	>100	1.27	>100	1.524	>100	1139 Cope Dr
H	BE16462	Nov 29 /24	5:40:48	0.254	>100	0.254	>100	0.254	>100	324 Liard St
H	BE17875	Nov 29 /24	5:40:48	0.635	39.38	0.381	42.67	0.762	42.67	330 Liard St
H	BE15729	Nov 29 /24	5:40:49	3.81	>100	4.064	>100	3.937	>100	1175 Cope Dr
H	BE16463	Nov 29 /24	5:40:49	0.254	>100	0.254	>100	0.254	>100	320 Liard St.

Project:	Idylea Phase 1B
Title:	Vibration Monitoring Data
Period:	November 25 to December 6, 2024
Client / Blasting Contractor	M-Roc Ltd.



Type	Serial No.	Date	Time	Tran Peak (mm/s)	Tran Freq. Hz.	Vert Peak (mm/s)	Vert Freq. Hz.	Long Peak (mm/s)	Long Freq. Hz.	Description
H	BE15700	Nov 29 /24	5:40:50	0.508	30.12	0.381	85.33	0.381	51.2	1103 Cope Dr
H	BE15534	Nov 29 /24	19:25:40	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE15528	Nov 29 /24	19:26:00	1.397	>100	1.27	>100	1.397	>100	1139 Cope Dr
H	BE15729	Nov 29 /24	19:26:00	4.699	>100	4.572	>100	4.445	>100	1175 Cope Dr
H	BE16463	Nov 29 /24	19:26:00	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE17875	Nov 29 /24	19:26:00	0.254	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15700	Nov 29 /24	19:26:01	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE16462	Nov 29 /24	19:26:01	0.254	>100	0.254	>100	0.127	>100	324 Liard St
H	BE15528	Nov 30 /24	5:40:43	1.397	>100	1.27	>100	1.397	>100	1139 Cope Dr
H	BE15534	Nov 30 /24	5:40:43	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE15700	Nov 30 /24	5:40:43	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15729	Nov 30 /24	5:40:43	4.445	>100	4.572	>100	4.318	>100	1175 Cope Dr
H	BE16462	Nov 30 /24	5:40:43	0.381	73.14	0.254	>100	0.254	>100	324 Liard St
H	BE16463	Nov 30 /24	5:40:43	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE17875	Nov 30 /24	5:40:43	0.254	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15534	Nov 30 /24	19:25:43	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE16463	Nov 30 /24	19:25:43	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE15528	Nov 30 /24	19:25:44	1.397	>100	1.397	>100	1.397	>100	1139 Cope Dr
H	BE16462	Nov 30 /24	19:25:44	0.254	>100	0.254	>100	0.254	>100	324 Liard St
H	BE15700	Nov 30 /24	19:25:45	0.254	>100	0.254	>100	0.127	>100	1103 Cope Dr
H	BE15729	Nov 30 /24	19:25:45	3.048	>100	3.175	>100	3.175	>100	1175 Cope Dr
H	BE17875	Nov 30 /24	19:25:45	0.254	>100	0.254	>100	0.127	>100	330 Liard St
H	BE15534	Dec 1 /24	5:40:48	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE15729	Dec 1 /24	5:40:49	3.683	>100	3.937	>100	3.81	>100	1175 Cope Dr
H	BE15528	Dec 1 /24	5:40:50	1.397	>100	1.397	>100	1.397	>100	1139 Cope Dr
H	BE15700	Dec 1 /24	5:40:50	0.254	>100	0.254	>100	0.127	>100	1103 Cope Dr
H	BE16462	Dec 1 /24	5:40:50	0.254	>100	0.254	>100	0.254	>100	324 Liard St
H	BE16463	Dec 1 /24	5:40:50	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE17875	Dec 1 /24	5:40:51	0.254	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15528	Dec 1 /24	19:25:42	1.397	>100	1.397	>100	1.524	>100	1139 Cope Dr
H	BE15534	Dec 1 /24	19:25:42	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE15729	Dec 1 /24	19:25:42	3.175	>100	3.175	>100	3.175	>100	1175 Cope Dr
H	BE16462	Dec 1 /24	19:25:42	0.254	>100	0.254	>100	0.254	>100	324 Liard St
H	BE16463	Dec 1 /24	19:25:42	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE15700	Dec 1 /24	19:25:43	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE17875	Dec 1 /24	19:25:43	0.381	>100	0.254	>100	0.254	>100	330 Liard St

Project:	Idylea Phase 1B
Title:	Vibration Monitoring Data
Period:	November 25 to December 6, 2024
Client / Blasting Contractor	M-Roc Ltd.



Type	Serial No.	Date	Time	Tran Peak (mm/s)	Tran Freq. Hz.	Vert Peak (mm/s)	Vert Freq. Hz.	Long Peak (mm/s)	Long Freq. Hz.	Description
H	BE15528	Dec 2 /24	5:40:44	2.54	51.2	11.68	51.2	8.763	42.67	1139 Cope Dr
H	BE15534	Dec 2 /24	5:40:44	1.651	39.38	3.048	46.55	2.032	46.55	336 Liard St
H	BE15700	Dec 2 /24	5:40:44	1.651	42.67	3.683	39.38	1.524	46.55	1103 Cope Dr
H	BE16462	Dec 2 /24	5:40:44	2.54	36.57	3.302	42.67	5.715	42.67	324 Liard St
H	BE16463	Dec 2 /24	5:40:44	3.556	39.38	2.667	39.38	2.032	30.12	320 Liard St.
H	BE15729	Dec 2 /24	5:40:46	4.191	>100	4.064	34.13	3.937	>100	1175 Cope Dr
H	BE17875	Dec 2 /24	5:40:46	6.35	42.67	3.302	46.55	3.429	39.38	330 Liard St
W	BE15528	Dec 2 /24	9:11:06	2.54	51.2	11.68	51.2	8.763	42.67	1139 Cope Dr
W	BE16462	Dec 2 /24	9:11:06	2.54	36.57	3.302	42.67	5.715	42.67	324 Liard St
H	BE16462	Dec 2 /24	9:11:55	2.921	42.67	3.048	46.55	5.207	39.38	324 Liard St
H	BE15528	Dec 2 /24	9:11:57	3.302	51.2	10.41	42.67	7.874	42.67	1139 Cope Dr
W	BE15528	Dec 2 /24	10:31:57	3.302	51.2	10.41	42.67	7.874	42.67	1139 Cope Dr
W	BE16462	Dec 2 /24	10:31:57	2.921	42.67	3.048	46.55	5.207	39.38	324 Liard St
W	BE17875	Dec 2 /24	10:31:57	6.35	42.67	3.302	46.55	3.429	39.38	330 Liard St
H	BE15528	Dec 2 /24	10:32:40	3.556	46.55	9.017	42.67	7.112	46.55	1139 Cope Dr
H	BE16462	Dec 2 /24	10:32:41	2.413	46.55	2.794	46.55	4.318	39.38	324 Liard St
H	BE17875	Dec 2 /24	10:32:43	4.699	42.67	3.302	42.67	2.667	42.67	330 Liard St
W	BE15528	Dec 2 /24	11:44:11	3.556	46.55	9.017	42.67	7.112	46.55	1139 Cope Dr
H	BE15528	Dec 2 /24	11:45:00	2.794	46.55	8.128	51.2	7.239	46.55	1139 Cope Dr
W	BE15528	Dec 2 /24	12:47:34	2.794	46.55	8.128	51.2	7.239	46.55	1139 Cope Dr
H	BE15528	Dec 2 /24	12:48:20	3.937	42.67	6.985	46.55	4.826	42.67	1139 Cope Dr
W	BE15528	Dec 2 /24	14:19:15	3.937	42.67	6.985	46.55	4.826	42.67	1139 Cope Dr
H	BE15528	Dec 2 /24	14:20:04	3.556	42.67	6.604	51.2	4.572	36.57	1139 Cope Dr
W	BE15528	Dec 2 /24	15:20:54	3.556	42.67	6.604	51.2	4.572	36.57	1139 Cope Dr
H	BE15528	Dec 2 /24	15:21:42	1.397	>100	1.397	>100	1.397	>100	1139 Cope Dr
H	BE15528	Dec 2 /24	19:25:48	1.524	>100	1.524	>100	1.524	>100	1139 Cope Dr
H	BE15534	Dec 2 /24	19:25:48	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE16462	Dec 2 /24	19:25:48	0.254	>100	0.254	>100	0.254	>100	324 Liard St
H	BE16463	Dec 2 /24	19:25:48	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE17875	Dec 2 /24	19:25:49	0.254	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15700	Dec 2 /24	19:25:50	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15729	Dec 2 /24	19:25:50	4.445	>100	3.937	>100	4.191	>100	1175 Cope Dr
H	BE15729	Dec 3 /24	5:40:44	4.064	>100	3.937	>100	4.064	>100	1175 Cope Dr
H	BE15528	Dec 3 /24	5:40:45	1.397	>100	1.397	>100	1.524	>100	1139 Cope Dr
H	BE15534	Dec 3 /24	5:40:45	0.508	20.48	0.254	>100	0.381	39.38	336 Liard St
H	BE16463	Dec 3 /24	5:40:45	0.635	64	0.508	46.55	0.889	64	320 Liard St.

Project:	Idylea Phase 1B
Title:	Vibration Monitoring Data
Period:	November 25 to December 6, 2024
Client / Blasting Contractor	M-Roc Ltd.



Type	Serial No.	Date	Time	Tran Peak (mm/s)	Tran Freq. Hz.	Vert Peak (mm/s)	Vert Freq. Hz.	Long Peak (mm/s)	Long Freq. Hz.	Description
H	BE16462	Dec 3 /24	5:40:46	0.635	56.89	0.635	73.14	1.27	73.14	324 Liard St
H	BE17875	Dec 3 /24	5:40:46	1.27	39.38	1.016	85.33	0.889	85.33	330 Liard St
H	BE15700	Dec 3 /24	5:40:47	1.27	>100	0.381	85.33	1.016	>100	1103 Cope Dr
H	BE15528	Dec 3 /24	19:25:48	0.762	>100	0.635	>100	0.762	>100	1139 Cope Dr
H	BE15534	Dec 3 /24	19:25:50	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE15729	Dec 3 /24	19:25:50	1.524	>100	1.524	>100	1.524	>100	1175 Cope Dr
H	BE16462	Dec 3 /24	19:25:50	0.254	>100	0.254	>100	0.254	>100	324 Liard St
H	BE16463	Dec 3 /24	19:25:50	0.254	>100	0.381	85.33	0.254	>100	320 Liard St.
H	BE15700	Dec 3 /24	19:25:51	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE17875	Dec 3 /24	19:25:51	0.381	>100	0.254	>100	0.381	>100	330 Liard St
H	BE17875	Dec 4 /24	5:40:49	6.35	42.67	4.699	46.55	3.937	42.67	330 Liard St
H	BE15528	Dec 4 /24	5:40:50	3.048	46.55	5.207	56.89	3.429	42.67	1139 Cope Dr
H	BE15534	Dec 4 /24	5:40:50	1.397	42.67	2.921	42.67	2.286	39.38	336 Liard St
H	BE16462	Dec 4 /24	5:40:50	3.683	39.38	2.794	46.55	4.191	42.67	324 Liard St
H	BE16463	Dec 4 /24	5:40:50	3.429	42.67	2.921	39.38	1.905	36.57	320 Liard St.
H	BE15700	Dec 4 /24	5:40:51	1.016	39.38	2.286	46.55	1.016	39.38	1103 Cope Dr
H	BE15729	Dec 4 /24	5:40:51	4.064	34.13	4.953	42.67	3.683	42.67	1175 Cope Dr
W	BE15528	Dec 4 /24	8:07:23	2.794	46.55	5.207	56.89	3.429	51.2	1139 Cope Dr
H	BE15528	Dec 4 /24	8:08:07	3.429	42.67	6.477	46.55	4.445	39.38	1139 Cope Dr
W	BE15528	Dec 4 /24	9:35:39	2.54	***	6.477	46.55	3.556	42.67	1139 Cope Dr
H	BE15528	Dec 4 /24	9:36:31	3.683	42.67	6.858	46.55	3.81	46.55	1139 Cope Dr
W	BE17875	Dec 4 /24	10:38:51	6.35	42.67	4.699	46.55	3.683	39.38	330 Liard St
W	BE15528	Dec 4 /24	10:38:53	3.683	42.67	6.858	46.55	3.81	46.55	1139 Cope Dr
H	BE15528	Dec 4 /24	10:39:40	4.191	42.67	6.477	46.55	4.572	42.67	1139 Cope Dr
H	BE17875	Dec 4 /24	10:39:41	5.715	42.67	4.064	46.55	3.81	39.38	330 Liard St
W	BE15729	Dec 4 /24	13:18:39	4.064	34.13	4.953	42.67	3.683	42.67	1175 Cope Dr
W	BE15528	Dec 4 /24	13:18:40	4.191	42.67	6.477	46.55	4.572	42.67	1139 Cope Dr
W	BE17875	Dec 4 /24	13:18:40	5.715	42.67	4.064	46.55	3.81	39.38	330 Liard St
H	BE15528	Dec 4 /24	13:19:35	3.81	51.2	4.953	46.55	3.048	46.55	1139 Cope Dr
H	BE15729	Dec 4 /24	13:19:35	3.302	36.57	4.572	56.89	2.54	51.2	1175 Cope Dr
H	BE17875	Dec 4 /24	13:19:36	4.064	42.67	2.921	46.55	3.048	36.57	330 Liard St
W	BE15528	Dec 4 /24	14:56:01	3.81	51.2	4.953	46.55	2.413	46.55	1139 Cope Dr
H	BE15528	Dec 4 /24	14:56:52	0.635	>100	0.508	>100	0.635	>100	1139 Cope Dr
H	BE15534	Dec 4 /24	19:25:45	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE15528	Dec 4 /24	19:25:46	0.254	>100	0.381	>100	0.254	>100	1139 Cope Dr
H	BE16462	Dec 4 /24	19:25:46	0.254	>100	0.254	>100	0.254	>100	324 Liard St

Project:	Idylea Phase 1B
Title:	Vibration Monitoring Data
Period:	November 25 to December 6, 2024
Client / Blasting Contractor	M-Roc Ltd.



Type	Serial No.	Date	Time	Tran Peak (mm/s)	Tran Freq. Hz.	Vert Peak (mm/s)	Vert Freq. Hz.	Long Peak (mm/s)	Long Freq. Hz.	Description
H	BE16463	Dec 4 /24	19:25:46	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE17875	Dec 4 /24	19:25:46	0.254	>100	0.254	>100	0.381	>100	330 Liard St
H	BE15729	Dec 4 /24	19:25:47	1.143	>100	1.143	>100	1.143	>100	1175 Cope Dr
H	BE15700	Dec 4 /24	19:25:48	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15534	Dec 5 /24	5:40:45	0.254	***	0.254	>100	0.254	>100	336 Liard St
H	BE16462	Dec 5 /24	5:40:47	0.254	>100	0.254	>100	0.127	>100	324 Liard St
H	BE16463	Dec 5 /24	5:40:47	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE17875	Dec 5 /24	5:40:47	0.381	64	0.254	>100	0.381	73.14	330 Liard St
H	BE15528	Dec 5 /24	5:40:48	2.794	30.12	1.651	73.14	5.08	22.26	1139 Cope Dr
H	BE15700	Dec 5 /24	5:40:48	0.508	42.67	1.651	39.38	0.381	>100	1103 Cope Dr
H	BE15729	Dec 5 /24	5:40:48	1.143	>100	1.143	>100	1.143	>100	1175 Cope Dr
W	BE15528	Dec 5 /24	14:09:28	1.905	22.26	1.016	46.55	5.08	22.26	1139 Cope Dr
H	BE15528	Dec 5 /24	14:10:14	1.524	85.33	3.175	73.14	2.032	85.33	1139 Cope Dr
H	BE15729	Dec 5 /24	19:25:45	2.286	>100	2.286	>100	2.286	>100	1175 Cope Dr
H	BE15528	Dec 5 /24	19:25:46	0.635	>100	0.635	>100	0.635	>100	1139 Cope Dr
H	BE15534	Dec 5 /24	19:25:47	0.508	64	0.381	>100	0.508	85.33	336 Liard St
H	BE16462	Dec 5 /24	19:25:47	0.254	>100	0.254	>100	0.254	>100	324 Liard St
H	BE16463	Dec 5 /24	19:25:47	0.381	64	0.254	>100	0.254	>100	320 Liard St.
H	BE17875	Dec 5 /24	19:25:47	0.254	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15700	Dec 5 /24	19:25:48	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15534	Dec 6 /24	5:40:39	0.381	64	0.254	>100	0.381	64	336 Liard St
H	BE16463	Dec 6 /24	5:40:39	0.254	>100	0.254	>100	0.254	>100	320 Liard St.
H	BE15528	Dec 6 /24	5:40:51	1.143	39.38	1.397	51.2	1.524	23.27	1139 Cope Dr
H	BE16462	Dec 6 /24	5:40:51	0.254	>100	0.254	>100	0.254	>100	324 Liard St
H	BE17875	Dec 6 /24	5:40:52	0.381	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15700	Dec 6 /24	5:40:54	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15729	Dec 6 /24	5:51:11	1.778	>100	2.159	>100	2.286	>100	1175 Cope Dr
H	BE15534	Dec 6 /24	19:25:47	0.254	>100	0.254	>100	0.254	>100	336 Liard St
H	BE16463	Dec 6 /24	19:25:48	0.254	>100	0.381	>100	0.254	>100	320 Liard St.
H	BE16462	Dec 6 /24	19:25:49	0.254	>100	0.254	>100	0.254	>100	324 Liard St
H	BE15700	Dec 6 /24	19:25:50	0.254	>100	0.254	>100	0.254	>100	1103 Cope Dr
H	BE15729	Dec 6 /24	19:25:50	2.286	>100	2.413	>100	2.413	>100	1175 Cope Dr
H	BE17875	Dec 6 /24	19:25:50	0.381	>100	0.254	>100	0.254	>100	330 Liard St
H	BE15528	Dec 6 /24	19:25:51	0.508	>100	0.508	>100	0.508	>100	1139 Cope Dr